Index

Treatment Manual

| Λ | Agapantinus, treatment 1555-1 5-0-15 |
|---|---|
| A | Agriolimacidae, treatment T201-l 5-3-6 |
| Acalypha Accident or spill emergency kit 7-3-17 treatment schedule, see also Pesticide spills | Air purifying respirators 8-1-9 See also Respiratory protection |
| Acalypha, treatment T570-1 5-6-20 | Air velocity measuring instruments anemometer 8-1-23 |
| Achimenes, treatment T553-1 5-6-15 | velometer 8-1-23 |
| Aconitum, treatment T570-2 5-6-20 | Aircraft, application of micronized dusts 2-11-2 ?? |
| Acorns, treatment T302-g-1 5-4-8 | Aircraft, treatment T409-a 5-5-28 to 5-5-30 |
| Acronyms and abbreviations 9-1-1 to 9-1-3 Actinidia | Alarm systems requirements for hot water immersion |
| treatment T553-1 5-6-15 | treatment 3-3-11 |
| Aeration | Aleurocanthus woglumi, fruit treatment schedule 5-2-25 |
| chamber fumigation 2-5-3 to 2-5-7 determining when to release the commodity 2-4-38 to 2-4-46, ?? to 2-5-7 | Alfalfa, treatment T520-1-1 5-6-14 |
| materials needed 2-4-36 | Allium |
| normal atmospheric pressure chambers ?? to 2-5-6 | treatment T552-1 5-6-14 |
| of fruits, vegetables, and cut flowers 2-4-41 to 2-4-42 | Aloe, treatment T553-1 5-6-15 |
| of nonsorptive, noncontainerized cargo 2-4-39 to | Aluminum phosphide |
| 2-4-40 of sorptive, containerized commodities 2-4-44 to 2-4-46 | measurment of phosphine 8-1-19 See also Phosphine threshold limit value for phosphine 8-1-9 |
| of sorptive, noncontainerized cargo 2-4-42 to | threshold lithit value for phosphilie 6-1-9 |
| 2-4-44 | Amaryllis, treatment T552-1 5-6-14, 5-6-18 |
| procedure determination 2-5-4 | |
| requirements for 2-4-6 responsibility for | American Bureau of Shipping 6-4-2 |
| ship fumigation 2-6-12 | Amarahanhallus |
| tarpaulin fumigation 2-4-35 | Amorphophallus treatment T553-1 5-6-15 |
| ship fumigation 2-6-13 to ?? | treatment 1555-1 5-0-15 |
| structure fumigation 2-7-15 to ?? | Ampelodesma mauriticus 5-4-14 |
| tarpaulin fumigation | • |
| methyl bromide 2-4-35 to 2-4-46 | Ampelopsis, treatment T553-1 5-6-15 |
| vacuum fumigation chambers 2-5-6 wearing respiratory protection 2-4-37 | |
| wearing respiratory protection 2-4-57 | Amphulariidae, treatment T201-q 5-3-3 |
| Aerosols | Anastrepha ludens, treatment T106-a-1 5-2-64 |
| application of 2-11-1 | |
| safety precautions 2-11-4 | Anastrenha snn 5-2-18 5-2-26 |

to

| Anastrepha spp. methyl bromide fumigation treatment | effect of malathion sprays 2-6-4 |
|--|---|
| schedule 5-2-36 vapor heat treatment schedules 5-2-64 | Astilbe roots, treatment T202-b 5-3-20 |
| vapor heat treatment schedules 5-2-04 | Astilbe spp. |
| Anchusa, treatment T553-2 5-6-15 | treatment T553-1 5-6-15 treatment T553-2 5-6-15 |
| Anemometer 8-1-23 | treatment T564-1 5-6-18 |
| Anemone, treatment T553-1 5-6-15 | Atmospheric fumigation chambers auxillary equipment 6-3-5 |
| Animal and Plant Health Inspection Service 3-3-3 financing of commercial ventures 6-5-12 preclearance program for foreign treatment facilities 6-5-8 to 6-5-12 preclearance program for vessels used for intransit cold treatment 6-4-2 to 6-4-4 | chamber 6-3-2 circulation and exhaust systems 6-3-3 fumigant dispensing system 6-3-4 gas-tight construction 6-3-3 pressure-leakage test 6-3-4 to ?? U tube manometer 8-1-25 to ??, 8-1-27 |
| Anthonomy aroundin | Augherite |
| Anthonomus grandis treatment T301-d-1-1, 301-d-1-2 5-4-4 | Australia asparagus treatment schedule 5-2-4 |
| Ants | Automobiles |
| treatment schedules for nonplant products 5-5-41 | treatment schedule for golden nematode contamination 5-5-21 |
| Aphelenchoides besseyi treatment T564-1 5-6-18 | Auxillary pump 8-1-23 to 8-1-24 |
| Aphelenchoides subtenuis treatment T565-2 5-6-18 | Avocado countries prohibited from exporting to the United States 5-2-80 treatment T101-c-1 5-2-4 |
| Aphids | treatment T203-m 5-3-26 |
| treatment T201-g-1, T201-g-3 ?? to 5-3-5 | troutiletti 1200 tii 0 0 20 |
| The second of th | Azalea |
| APHIS, see Animal and Plant Health Inspection Service | treatment T201-a-2 5-3-7 treatment T501-1 5-6-3 |
| Apple | Azaleodendron |
| T101-a-1 methyl bromide fumigation treatment schedule 5-2-3 | treatment T501-2 Remove infected parts and treat all plants of |
| Application of manual 1-1-3 | same species in shipment with 4-4-50 Bol deaux dip or spray. 5-6-3 |
| Apricot T107-e cold treatment schedule 5-2-71 treatment T101-a-3 5-2-3 | |
| treatment 1101-a-3 3-2-3 | В |
| Aquatic plants treatment T201-q 5-3-3 | Bactrocera cucurbitae |
| Armoracea | methyl bromide fumigation treatment |
| | |

```
Bactrocera cucurbitae
methyl bromide fumigation treatment
schedule 5-2-4

Bactrocera dorsalis
methyl bromide fumigation treatment
schedule 5-2-4
vapor heat treatment schedules 5-2-64 to ??
water treatment schedule 5-2-50

Bactrocera tryoni
fumigation followed by cold treatment
schedule 5-2-75

Bags and bagging material
```

treatment T553-3 5-6-15

treatment T513-1 5-6-11

heat treatment 5-4-29 emerald ash borer 5-4-29

Asparagus 5-2-3, 5-2-4, 5-2-33

Ascochyta

Ash Logs

Asphalt surfaces

| treatment T306 Bags and Bagging Material, Covers 5-4-16 to 5-4-18 | Bombay, India treatment schedules for brassware ?? to 5-5-42 |
|---|---|
| treatment T503-1-1 Soak in formaldehyde for 1 hour, 1 pint of commercial formaldehyde to 10 gallons of water. 5-6-5 | Bootanomyia spp. treatment T203-o-1 MB ("Q" label only) in 26" vacuum 5-3-32 |
| Baled hay treatment T311 Phosphine at NAP 5-4-25 | Borers plant material treatment schedule 5-3-7, ?? to 5-3-14 wood products treatment schedules 5-5-15 |
| Baled straw treatment schedule 3-4-2 | Brachycerus spp. garlic treatment schedule 5-2-23 plants treatment schedule 5-3-20 |
| Banana roots treatment T202-c 5-3-20 | Brachyrhinus larvae treatment T202-b |
| Bananas treatment T101-d-1 5-2-4 | MB ("Q" label only) in 26" vacuum 5-3-20 |
| Baris lepidii treatment T101-l-2 5-2-29 | Brassica spp. treatment T101-n-2 MB at NAP—tarpaulin or chamber 5-2-7, 5-2-19 |
| Beans methyl bromide fumigation treatment schedule 5-2-26 to 5-2-27 treatment T101-e-1 5-2-5 | Brassware treatment schedule ?? to 5-5-42 Breadfruit |
| Beets treatment T101-g-1 5-2-5 | treatment T102-c Warm, soapy water and brushing 5-2-48 |
| Begonia treatment T553-1 5-6-15 treatment T559-1 5-6-17 | Break bulk cargo arranging for fumigation 2-3-8 fan arrangement 2-3-8 gas introduction line placement 2-3-8 gas sampling tube placement 2-3-8 |
| Bell peppers treatment T106-b-1 Vapor heat 5-2-64 | Brevipalpus chilensis methyl bromide fumigation treatment |
| Berberis treatment T201-a-2 5-3-7 | schedule 5-2-18 water treatment schedule 5-2-48 to 5-2-49, 5-2-53 |
| Blackberries treatment T101-h-1 | Bribery 6-5-12 |
| MB at NAP—tarpaulin or chamber 5-2-6 Bletilla hyacinthina | Broccoli treatment T101-n-2 MB at NAP—tarpaulin or chamber 5-2-7 |
| treatment T553-1 5-6-15 | Bromeliads |
| Bletilla hyacinthina treatment T564-1 5-6-18 | treatment T507-1 Remove infected leaves and treat all plants of same species in shipment with Ferbam or Cap- |
| Blueberries treatment T101-i-1 5-2-6 | tan following label directions. 5-6-8 |
| Boilers requirements for hot water immersion | Broomcorn treatment T566-1 5-6-19 |
| treatment 3-3-6 | Bruchidae vegetable treatment schedule 5-2-22 to ??, |
| Boll weevil treatment T301-a-3 | 5-2-32, 5-2-38, 5-2-41 |
| MB ("Q" label only) at NAP—tarpaulin 5-4-4 | Brussels sprouts |

| treatment T101-n-2 5-2-8 | treatment T101-I-1, T101-m-1 5-2-12 |
|---|--|
| Bulb nematodes treatment T552-1 5-6-14 treatment T567-1 5-6-19 | Cassava treatment T101-n-1 5-2-12 |
| Bulb scale mite treatment T202-i-1 5-3-23 | Cauliflower treatment T101-n-2 5-2-13 |
| Bulbs treatment schedules ?? to 5-3-21 | Celeriac treatment T101-n-1 5-2-14 |
| treatment T552-1 5-6-14 Bulinidae | Celery and celery root treatment T101-n-1 5-2-14 |
| treatment T201-q 5-3-3 Bulk fumigation 2-10-21 to ?? | Ceratitis capitata fumigation followed by cold treatment schedule ?? to 5-2-75 |
| bulk fulfilgation 2-10-21 to ?? | methyl bromide fumigation treatment schedule ?? to 5-2-53 water treatment schedule ?? to 5-2-53 |
| С | Cercospora spp. treatment T501-3 5-6-3 |
| Cabbage T101-n-2 treatment T101-j-1 5-2-9 | Certified glass-mercury thermometer 3-3-8 |
| Cacti treatment T201-f-1 ?? to 5-3-5 treatment T553-1 5-6-15 | Certifying facilities cold treatment 6-4-9 hot water immersion facilities 6-5-1 to 6-5-12 vacuum fumigation chambers 6-2-4, H-1-22 |
| Cacti fruits treatment T101-d-3 5-2-45 | Cestrum treatment T553-1 5-6-15 |
| Calibration certificate 3-7-17, 3-7-19 | Chamber fumigation |
| Calibration of Temperature Sensors record 3-7-7 | methyl bromide aerating the chamber 2-5-3 to ?? conducting the fumigation 2-5-2 to ?? |
| Calla treatment T556-1 5-6-16 | materials needed 2-5-1 |
| Calliopsis treatment T553-1 5-6-15 | Chart recorders APHIS approved models 3-3-10 checking operation 3-7-6 |
| Camellia treatment T509-1-1 5-6-9 | clearing shipments cold treated in transit 3-7-10 to ?? for intransit cold treatment of ships 3-7-3 |
| Campanula treatment T553-1 5-6-15 | specifications 3-3-11 Chayote |
| Canada treatment schedule for pines 5-3-16 | treatment T101-p-1 MB at NAP—tarpaulin or chamber 5-2-15 |
| Cantaloupe treatment T101-k-1 5-2-11 | Chemical treatments aerosols 2-11-1 dips 5-3-13 to 5-3-19 |
| Cargo non-food, non-feed commodities treatment schedules ?? to 5-5-13 | dusts 2-13-1 fumigants methyl bromide 2-3-1 to 2-3-8 physical properties 2-2-4 |
| Cargo compartments application of micronized dusts 2-11-3 | supervision of quarintine treatments 2-2-2 to 2-2-4 micronized dusts 2-11-2 to ?? |
| Carrots | overview 2-1-1 |

| sprays 2-14-1 | Cissus treatment T553-1 |
|--|---|
| Cherimoya | Hot water at 118°F for 30 minutes. 5-6-15 |
| treatment T102-b | |
| Soapy water and wax 5-2-48, 5-2-53 | Citrus methyl bromide fumigation treatment |
| Cherries | schedule 5-2-18 |
| treatment schedule 5-2-15 | |
| treatment T101-r-1 | Citrus blackfly |
| MB at NAP—tarpaulin or chamber 5-2-15 | plant treatment schedule ?? to 5-3-12 |
| Chestnut | Citrus canker |
| treatment T101-u-1, T101-t-1 5-2-16 | treatment T511-1 5-6-10 |
| treatment T203-e (mandatory treatment) | |
| MB ("Q" label only) at 26" vacuum 5-3-26 | Clearance Action by Officer 3-7-15 |
| Chicory and chicory root | Clematis |
| treatment T101-v-1 5-2-16 to 5-2-17 | treatment T553-2 5-6-15 |
| Chile | Clementine |
| cherimoya treatment schedule 5-2-53 | methyl bromide fumigation treatment 5-2-18 |
| grapes treatment schedule 5-2-25 | vapor heat treatment schedules 5-2-64 |
| lemons treatment schedule 5-2-18 | |
| limes treatment schedule 5-2-49 | CO2 fire extinguishers |
| mountain papaya treatment schedule 5-2-56 tomato treatment schedule 5-2-44 | safety precautions 2-11-4 |
| | Coast Guard Regulations B-1-1 to B-1-8 |
| Chilean false spider mite | |
| water treatment schedule ?? to 5-2-49 | Coconuts |
| | treatment T101-x-1 5-2-20 |
| Chinese | O a lal broad a la cont |
| cabbage | Cold treatment |
| treatment T101-n-2 | fumigation followed by cold treatment |
| MB at NAP—tarpaulin or chamber 5-2-10 | schedules 5-2-73 |
| mustard | fumigation plus refrigeration treatment schedules |
| treatment T101-n-2 | for fruits ?? to 5-2-73 |
| MB at NAP—tarpaulin or chamber 5-2-11 | integral containers used for cold treatment 6-4-7 to 6-4-8 |
| Christmas trees | approval requirements 6-4-7 |
| treatment T501-5 5-6-3 | list of approved F-1-1 |
| | temperature recording instruments |
| Chrysanthemum spp. | standards 6-4-7 to ?? |
| treatment T201-g-1 ?? to 5-3-5 | intransit cold treatment of ships |
| treatment T501-4 5-6-3 | approval for 3-7-2 |
| treatment T557-1 5-6-16 | clearance of shipments 3-7-10 to ?? initiating treatments 3-7-6 to ?? |
| Chrysomyxa spp. | performance survey of vessels 3-7-2 to ?? |
| treatment T501-1 5-6-3 | progressive clearance 3-7-16 |
| treatment T501-6 5-6-4 | self-refrigerated containers 3-7-16 to 3-7-20 warehouses 3-7-21 to ?? |
| Cimicifuga | temperature recording instruments standards ?? |
| treatment T553-1 5-6-15 | to 6-4-8 |
| treatment T564-1 5-6-18 | vessels used for intransit cold treatment 6-4-2 to |
| Cipollini | 6-4-7 approval requirements 6-4-2 to 6-4-3 |
| treatment T101-w-1 | list of approved G-1-1 |
| MB in 15" vacuum—chamber 5-2-17 | temperature recording systems standards 6-4-4 |
| WID III TO VACUUIII—CHAIIDGI 3-2-17 | warehouses used for 6-4-8 to 6-4-9 |
| Circulation and exhaust systems | |
| atmospheric fumigation chambers 6-3-3 | Coles |
| vacuum fumigation chambers 6-2-2 | treatment T101-n-2 |
| | MB at NAP—tarpaulin or chamber 5-2-7, 5-2-19 |

| Collard greens, treatment schedule T101-n-2 5-2-19 | Corms treatment T202-a-1 MR (#0" label only) at NAR Chamber 22 to |
|--|--|
| Commercial line conditioner | MB ("Q" label only) at NAP—Chamber ?? to 5-3-21 |
| requirements for hot water immersion | 3 3 2 1 |
| treatment 3-3-5 | Corn |
| | treatment schedules 5-6-10 |
| Computers | |
| requirements for hot water immersion | Corn-on-the-cob |
| treatment 3-3-5 | methyl bromide fumigation treatment |
| | schedule 5-2-20 |
| Concentration readings | |
| chamber fumigation 2-5-5, 2-5-6 | Corrective lenses and respiratory |
| ship fumigation 2-6-13 to ?? | protection 8-1-14, 8-1-15 |
| structure fumigation 2-7-16 to ?? | |
| tarpaulin fumigation | Corytholoma |
| methyl bromide 2-4-20 to ?? | treatment T553-1 5-6-15 |
| Concrete surfaces | Cotton and cotton products |
| treatment T404-b-5-1 | treatment schedules ?? to 5-4-5, 5-5-20 to ?? |
| Chlorpyrifos spray ?? to 5-5-14 | treatment serieures :: to 3-4-3, 3-3-20 to :: |
| Gillorpyllios Spray :: 10 5-5-14 | Cottonseed |
| Conifer seeds | treatment T203-f-1 |
| treatment T203-i-1 | MB ("Q" label only) at NAP—chamber 5-3-28 to |
| MB ("Q" label only) at NAP 5-3-26 | 5-3-29 |
| (=, =, | treatment T301-a-1-1 |
| Container vessels | MB ("Q" label only) at NAP—chamber ?? to |
| clearing shipments cold treated in transit 3-7-10 | 5-4-7 |
| to ?? | |
| temperature recorders 3-7-9 | Covers |
| temperature sensors 3-7-3 to ??, 3-7-7 to ?? | treatment schedules ?? to 5-4-17 |
| | treatment T503-2-1 5-6-5 |
| Containerized cargo | |
| aeration of 2-4-37, ?? to 2-5-6 | Crocus |
| arrangement for fumigation 2-4-7 to 2-4-8 | treatment T565-2 5-6-18 |
| fan arrangement 2-4-10 | |
| gas introduction line placement 2-4-11 | Cucumbers |
| gas sampling tube placement 2-4-12 | treatment schedule 5-2-20 |
| Containers | Curculio spp. |
| potato cyst nematode treatment schedule 5-6-7 | treatment T101-t-1 |
| potato eyst hematode treatment schedule 507 | MB at NAP—tarpaulin or chamber ?? to 5-2-16 |
| Controlled Atmosphere Temperature Treatment | treatment T302-g-1 |
| System(CATTS) 5-7-1 | MB at NAP—tarpaulin, chamber, or van |
| apples 5-7-3 | container ?? to 5-4-8 |
| nectarines and peaches 5-7-2 | |
| sweet cherries 5-7-3 | Curcuma |
| | treatment T553-1 5-6-15 |
| Convallaria (pips) | |
| treatment T551-1 5-6-14 | Cuttings |
| | plants |
| Conventions 1-1-4 | treatment T201-d-1 |
| | MB ("Q" label only) at NAP tarpaulin or cham- |
| Conversion factors 2-2-3 | ber, see T201-a-1 ?? to 5-3-15 |
| | treatment T201-m-1 |
| Conversion Tables D-1-1 to D-1-2 | MB ("Q" label only) at NAP—tarpaulin or |
| Convoluntus ionomisus F / 15 | chamber 5-3-16 to 5-3-18 |
| Convolvulus japonicus 5-6-15 | Cyclomon |
| Conra | Cyclamen treatment T553-1 5-6-15 |
| Copra treatment T101-x-1 | пеашент 1995-1 9-0-19 |
| MB ("Q" label only) at NAP—tarpaulin or | Cydia splendana |
| chamber 5-2-20 | treatment T101-t-1 |

| MB at NAP—tarpaulin or chamber ?? to 5-2-16 treatment T302-g-1 MB at NAP—tarpaulin, chamber, or van containe ?? to 5-4-8 Cylindrosporium camalliae treatment T509-1-1 Light infection Remove infected leaves and dip or spray plant with 4-4-50 Bordeaux. Dry quickly and | treatment T552-1 5-6-14 treatment T554-1-1 5-6-16 treatment T565-1 5-6-18 Ditylenchus dipsaci treatment T552-1 5-6-14 treatment T554-1-2 5-6-16 treatment T565-4 5-6-19 Documentation 1-1-3 |
|---|---|
| thoroughly before release. 5-6-9 Cyst nematodes treatment T553-5 5-6-15 Cytisus treatment T553-1 5-6-15 | Dosage rates methyl bromide chamber fumigation 2-5-3 determining temperature for 2-4-14 guidelines 2-2-3 tarpaulin fumigation 2-4-1 phosphine 2-10-1 using commodity or air temperature 2-5-3 |
| D | Downy mildews treatment schedules 5-6-5 |
| Dahlia treatment T553-1 5-6-15 Dasheen treatment T102-a-2 | Dracaena spp. treatment T201-i-1 MB ("Q" label only) at NAP ?? to 5-3-9 treatment T553-1 Hot water at 118°F for 30 minutes. 5-6-15 |
| MB chamber, 15" vacuum-chamber 5-2-21 Data logger checking operations 3-7-7 clearing shipments cold treated in transit 3-7-10 to ?? for intransit cold treatment of ships 3-7-3 | Dry ice safety precautions 4-2-1 Durian water treatment schedule 5-2-48 Dust Masks 8-1-10 |
| Data logger recorders APHIS approved models 3-3-10 | See also Respiratory protection Dusts 2-13-1 |
| Decontamination of respiratory protection 8-1-16 to 8-1-18 | |
| Desiccants 8-1-7 | E |
| Detector kits or gas samples operations 8-1-19 to 8-1-20 Dicentra treatment T553-1 5-6-15 | Electrical wiring requirements for hot water immersion treatment 3-3-5 |
| Dieffenbachia spp. treatment T201-i-1 MB ("Q" label only) at NAP ?? to 5-3-9 | Electronic manometer 8-1-27 Emerald ash borer ash log heat treatment T314-a 5-4-29 |
| Dioon edule treatment T201-h-2 MB ("Q" label only) in 26" vacuum 5-3-8 | Endive treatment T101-b-2 MB at NAP—tarpaulin or chamber 5-2-22 |
| Dips ?? to 5-3-19 | Epimendium pinnatum treatment T553-1 5-6-15 |

Directory of commercial suppliers H-1-1 to H-1-60

Ditylenchus destructor

treatment T564-1 5-6-18

Epinotia aporema

| treatment T101-k-2 | treatment T504-1-1 |
|---|--|
| MB in 15" vacuum—chamber ?? to 5-2-27 | Dry heat at 212°F for 1 hour. Treat small bale only. 5-6-5 |
| Equipment 8-1-1 to 8-1-29 | |
| air velocity measuring instruments 8-1-23 | Florida |
| auxiliary pump 8-1-23 to 8-1-24 | treatment schedule for orchids shipped to 5-6-9 |
| detector kits or gas samples 8-1-19 to 8-1-20 | El. |
| opem arm manometer 8-1-25 to ?? | Flowers |
| phosphine detector 8-1-28 to 8-1-29 | aerating 2-4-39 |
| reference guide to commercial suppliers H-1-1 to H-1-60 | treatment schedules for cut flowers ?? to 5-4-16 |
| respiratory protection 8-1-9 to 8-1-18 | Foliar nematodes |
| See also specific pieces of equipment | treatment T553-4 |
| thermal conductivity gas analyzers 8-1-2 to ??, | Hot water at 118°F for 30 minutes. 5-6-15 |
| 8-1-2 to ?? | treatment T559-1 |
| vacuum pump 8-1-28 | Dip in hot water at 118°F for 5 minutes. 5-6-17 |
| volatilizer 8-1-21 to 8-1-22 | treatment T564-1 5-6-18 |
| Euonymus alata | Foreign treatment facilities protocols 4 F.9 to |
| Euonymus alata treatment T553-1 5-6-15 | Foreign treatment facilities protocols 6-5-8 to 6-5-12 |
| treatment 1999 1 9 0 19 | 0.0.12 |
| Eupatorium | Forms A-1-1 to A-1-14 |
| treatment T553-1 5-6-15 | APHIS Form 2061 (Residue Sample for Food or |
| From boards | Feed Product) A-1-2 to ?? |
| Euphorbia treatment T553-1 5-6-15 | Calibration of Temperature Probes (Cold Treatment) A-1-12 |
| (reatment 1553-1 5-0-15 | Certificate of Loading and Calibration for Cold |
| Europe | Treatment in Self Refrigerated Containers (Cold |
| treatment schedule for alfalfa 5-6-14 | Treatment) A-1-17 |
| | Instructions to Captain (Cold Treatment) A-1-15 |
| Exhaust system | Location of Temperature Sensors in Containerized |
| installation of ?? to 2-4-42 | Cargo (Cold Treatment) A-1-16 |
| | PPQ Form 203 (Foreign Site Certificate of Inspec |
| Exotic legume pod borers | tion and/or Treatment) A-1-36 |
| treatment T101-k-2 | PPQ Form 429 (Fumigation Record) A-1-17 to ?? |
| MB in 15" vacuum—chamber ?? to 5-2-27 | PPQ Form 449-R (Temperature Recording Installa tion Report) A-1-35 |
| Exposure periods | PPQ Form 519 (Compliance Agreement) A-1-22 |
| adjusting | PPQ Form 523 (Emergency Action |
| for miscellaneous products 5-5-1 | Notification) A-1-25 to ?? |
| for plant products 5-4-1 | PPQ Form 556 (In Transit Cold Treatment Clear- |
| ship fumigation 2-6-11 | ance Report) A-1-37, A-1-39 |
| tarpaulin fumigation 2-4-39 to 2-4-46 | see also specific forms by title |
| | Fragaria |
| | treatment T553-1 5-6-15 |
| | treatment T558-1 5-6-17 |
| F | treatment T569-1 |
| | Hot water at 121°F for 7 minutes. (National |
| Fans | Plant Board Conference, Tennessee |
| arranging and operating | 1968) 5-6-20 |
| guidelines ?? to 2-2-4 | Fruit |
| ship fumigation 2-6-5 to ?? | adjusting exposure period 2-4-24 to 2-4-25 |
| structure fumigation 2-7-8 | aerating 2-4-39 to 2-4-41 |
| tarpaulin fumigation 2-4-10 | determining temperature for proper dosage |
| determining number of 2-4-39 | rate 2-4-14 |
| Fava bean (dried) | fumigation plus refrigeration treatment |
| treatment schedule 5-2-22 to ?? | schedules ?? to 5-2-73 |
| | hot water immersion treatment |
| Financing 6-5-12 | flow pattern 3-3-12 garbage disposal 3-3-12 |
| 51 | post-treatment cooling options 3-3-13 to ?? |
| Flag smut | post a catalonic cooling options 3-3-13 to !! |

| pre-warming options 3-3-13 | treatment T553-1 5-6-15 |
|--|---|
| quarantine area 3-3-12 | Carlia |
| in shipboard-cooled containers 3-7-9 to ?? methyl bromide fumigation ?? to 5-2-47 | Garlic treatment T101-e-2 |
| precooling 3-7-9 | MB in 15" vacuum—chamber 5-2-23 |
| quick freeze treatment schedules 5-2-79 | treatment T202-j |
| reporting commodity injury 5-2-1 | MB ("Q" label only) at 15" vacuum 5-3-20 |
| water treatment schedules 5-2-48 to 5-2-53 | WB (2 labor only) at 10 vacuum 0 20 |
| | Gas and vapor removing respirators 8-1-11 |
| Fruit flies | See also Respiratory Protection |
| cold treatment for 6-4-1 | |
| cold treatment schedule ?? to 5-2-71, ?? to | Gas introduction lines |
| 5-2-72 | methyl bromide |
| fumigation followed by cold treatment | ship fumigation 2-6-6 |
| schedule ?? to 5-2-78 | structure fumigation 2-7-11 |
| hot water immersion treatment for 6-5-1 | tarpaulin fumigation 2-4-20 |
| seeds treatment schedule 5-3-35 | |
| For the second | Gas sampling tubes |
| Fruit sensors | determining number of 2-7-9 |
| placement of 3-7-18 | methyl bromide |
| Fruit imported | tarpaulin fumigation 2-4-12 to 2-4-13 placement of 2-4-12 to 2-4-13 |
| Fruit, imported cold treatment for ?? to 6-4-7 | placement of 2-4-12 to 2-4-13 |
| foreign treatment facilities protocols 6-5-8 to | Generators |
| 6-5-12 | requirements for hot water immersion |
| hot water immersion treatment 6-5-1 to 6-5-7 | treatment 3-3-5 |
| not mater manner death a dath of the day | |
| Fumigants | Gentiana |
| methyl bromide 2-3-1 to 2-3-8, 2-4-1 to 2-4-46, ?? | treatment T553-1 5-6-15 |
| to 2-5-7 | |
| physical properties 2-2-4 | Gentinae |
| respiratory protection for 8-1-10 | treatment T507-2 5-6-8 |
| see also specific fumigants | |
| supervision of quarantine treatments 2-2-2 to | Gerbera |
| 2-2-4 | treatment T553-1 5-6-15 |
| threshold limit values 8-1-9 | |
| | Gesneria |
| Fumigation | treatment T553-1 5-6-15 |
| Coast Guard regulations B-1-1 to B-1-8 | Cause |
| conducting the fumigation 2-4-20 to ?? | Geum |
| container arrangement 2-4-7 followed by cold treatment schedules ?? to | treatment T553-1 5-6-15 |
| 5-2-78 | Gin trash |
| guidelines for safe use 2-2-3 to 2-2-4 | treatment T301-a-6 |
| items not to fumigate 2-3-8 | Phosphine at NAP ?? to 5-4-2 |
| preparing to fumigate 2-4-3 to 2-4-19 | Thospinio de William III de Gra |
| site selection 2-4-4 to 2-4-7 | Ginger |
| vacuum fumigation chambers ?? to 6-2-4, ?? to | treatment T101-f-2 |
| H-1-22 | MB in 15" vacuum—chamber 5-2-23 |
| | |
| Fumiscope | Gladiolus spp. |
| description ?? to 8-1-4 | treatment T202-e-1 |
| maintenance 8-1-9 | MB ("Q" label only) at NAP 5-3-21 |
| operational procedures ?? to 8-1-7, 8-1-7 to ?? | treatment T553-1 5-6-15 |
| repair and calibration 8-1-7 | treatment T565-3 5-6-18 |
| standardizing the instrument 8-1-5 to ?? | Clabadara |
| | Globodera |
| | campestris, pv. citri treatment T511-1 5-6-10 |
| | pallida |
| G | Armoracea treatment schedule 5-6-15 |
| _ | Solanum treatment schedule 5-6-19 |

Gardenia

rostochiensis

| Armoracea treatment schedule 5-6-15 | steam treatments 3-4-1 to ?? |
|---|---|
| Convallaria (pips) treatment schedule 5-6-14 | vapor heat treatment 3-5-1 to ?? |
| infestation treatment schedule 5-6-15 | |
| Solanum treatment schedule 5-6-19 | Heliopsis |
| | treatment T553-1 5-6-15 |
| Glossary 9-1-1 to 9-1-3 | Hallahamia |
| Golden nematode | Helleborus treatment T553-1 5-6-15 |
| plants treatment schedule 5-6-15 | treatment 1555-1 5-0-15 |
| soil treatment schedule ?? to 5-5-26 | Herbaceous plants |
| con troument concedure 11 to 5 5 25 | treatment T201-c-2 |
| Gow-Mac | MB ("Q" label only) in 15" vacuum ?? to 5-3-11 |
| maintenance 8-1-9 | treatment T201-m-2 |
| operational procedures ?? to 8-1-6, 8-1-7 to ?? | MB ("Q" label only) at NAP—tarpaulin or |
| repair and calibration 8-1-7 | chamber 5-3-17 |
| standardizing the instrument 8-1-5 to ?? | |
| Construction | Hibiscus |
| Grains | treatment T553-1 5-6-15 |
| treatment schedules ?? to 5-4-11, 5-6-5 to 5-6-6 | Horseradish |
| Grapefruit | treatment T101-I-2 |
| methyl bromide fumigation treatment | MB in 15" vacuum—chamber 5-2-29 |
| schedule 5-2-25 | me in to tassam shames see 227 |
| | Horseradish roots |
| Grapes | treatment T202-f |
| methyl bromide fumigation treatment | MB in 15" vacuum 5-3-22 |
| schedule 5-2-24 to 5-2-25 | treatment T553-3 5-6-15 |
| | |
| Green pod vegetables | Hosta |
| treatment T101-k-2 MB in 15" vacuum—chamber 5-2-26 | treatment T553-1 5-6-15 treatment T564-1 5-6-18 |
| IVID III 13 VacuuIII—chamber 3-2-20 | treatment 1504-1 5-0-16 |
| Greenery | Hot water immersion facilities |
| treatment schedules ?? to 5-4-16 | address for technical contact 6-5-8 |
| | annual APHIS performance test procedures 6-5-4 |
| Greenhouse-grown plants | to 6-5-6 |
| treatment T201-c-1 | description 6-5-1 |
| MB ("Q" label only) at NAP—tarpaulin or | foreign treatment facilities protocols 6-5-8 to |
| chamber ?? to 5-3-11 | 6-5-12 |
| Cupay math agg magage | list of ideas if tank fails performance test 6-5-7 |
| Gypsy moth egg masses heat treatment T314-b 5-4-29 | preliminary performance testing 6-5-2 |
| MB treatment T313-a 5-4-28 | Hot water immersion treatment |
| WB treatment 1313 a 3420 | alarm system 3-3-11 |
| | boilers 3-3-6 |
| | changes 3-3-14 |
| <u></u> | electrical and electronic components 3-3-5 |
| Н | post-treatment cooling 3-3-13 |
| | pre-treatment warming 3-3-13 |
| H. pallida | principle 3-3-2 |
| Convallaria (pips) treatment schedule 5-6-14 | procedures 3-3-2 |
| | safeguarding treated fruit 3-3-12 safety precautions 3-3-14 |
| Haiti | schedules 3-3-2 |
| supervision of hot water immersion | temperature recorder 3-3-8 to ?? |
| treatments 6-5-12 | temperature sensors 3-3-7 to ?? |
| Hawaii | water circulation 3-3-7 |
| avacado treatment schedule 5-2-4 | Work Plans 3-3-15 |
| citrus treatment schedule 5-2-54 to ?? | |
| lychee fruit treatment schedules 5-2-50 | Hot water treatment |
| tomato treatment schedule 5-2-44 | schedules for 5-6-14 to 5-6-20, ?? to 5-7-1 |
| | Hovo |
| Heat | Hoya |

| treatment T553-1. 5-6-15 | Kniphofia treatment T553-2 5-6-15 |
|--|--|
| Humulus treatment T553-5 5-6-15 | Kohleria treatment T553-1 5-6-15 |
| Hyacinthus treatment T554-1-1 5-6-16 | Kohlrabi |
| -lydrocooling fruit 3-3-13 to ?? | treatment T101-n-2 MB at NAP—tarpaulin or chamber 5-2-31 |
| I | L |
| ndia treatment schedules for brassware ?? to 5-5-42 | Leaf miners methyl bromide fumigation treatment |
| ndoor fumigation 2-4-37 to 2-4-46 | schedule ?? to 5-2-26 |
| nspections on-site 3-3-3 | Leafy vegetables treatment T101-n-2 MB at NAP—tarpaulin or chamber 5-2-3 5-2-33 |
| nspectors bribery 6-5-12 foreign treatment facilities protocols 6-5-8 to 6-5-12 withdrawl from foreign facilities 6-5-12 | Leak detection methyl bromide structure fumigation 2-7-13 tarpaulin fumigation 2-4-20 |
| nterior Fumigation methyl bromide 2-7-10 | phosphine 2-10-4 |
| ris treatment T553-1 5-6-15 treatment T554-1-1 5-6-16 | Leeks treatment T101-q-2 MB at NAP—tarpaulin or chamber 5-2-32 |
| treatment 1994 FT 90 TO | Lemon treatment T101-n-2-1 MB at NAP—tarpaulin or chamber 5-2-18 |
| Jasminum | Lentils treatment T101-e-1 MB at NAP—tarpaulin or chamber 5-2-32 |
| treatment T553-1 5-6-15 | Lesion nematodes treatment T553-2 5-6-15 |
| <u>K</u> | Libium treatment schedule 5-6-19 |
| Kaempferia treatment T553-1 5-6-15 | Lily bulbs treatment T202-g MB ("Q" label only) at NAP 5-3-23 |
| Kale treatment T101-n-2 MB at NAP—tarpaulin or chamber 5-2-30 | Limes water treatment schedule 5-2-49 |
| Chapra beetle cotton treatment schedules ?? to 5-4-4 ships treatment schedule ?? to 5-5-3 | Lingularis treatment T568-1 5-6-19 Lint and linters |
| Kiwi treatment T101-m-2 | treatment T301-a-6 Phosphine at NAP ?? to 5-4-2 |
| MB at NAP—tarpaulin or chamber 5-2-30 | Liquid measure conversion 2-2-3 |

| Litchi, seeLychee | electronic 8-1-27 |
|---|--|
| Livervente | open arm 8-1-25 to ?? |
| Liverworts treatment schedule for soil ?? to 5-5-25 | use in pressure-leakage testing 6-3-4 to 8-1-28 |
| treatment scriedule for Soil ?? to 5-5-25 | Manuals |
| Lobesia botrana | distributing C-1-9 |
| methyl bromide fumigation treatment | ordering additional copies C-1-7, C-1-7 |
| schedule ?? to 5-2-25 | ordering additional copies C-1-7, C-1-7 |
| Scriedule !! (0 3-2-23 | Maruca testulalis |
| Logs | treatment T101-k-2 |
| from gypsy moth quarantine areas 5-4-29 | MB in 15" vacuum—chamber ?? to 5-2-27 |
| from gypsy moth quarantine areas 3-4-27 | WID III 13 Vacuum—chamber :: to 3-2-27 |
| Logs and lumber | MB |
| adjusting exposure period 2-4-29 | see Methyl bromide |
| determining temperature for proper dosage | See Welly Bronnide |
| rate 2-4-15 | Medicago |
| 1410 2 4 13 | treatment T520-1-1 |
| Lychee | Dust with 75 percent Thiram at the rate of 166 |
| treatment T102-d | grams per 50 kilograms of seed (3.3g/ |
| Hot water immersion 5-2-50 | kg). 5-6-14 |
| Flot water infinersion 3-2-30 | kg). 3-0-14 |
| Lycoris | Mediterranean fruit fly |
| treatment T202-h | cold treatment for 6-4-1 |
| MB in 26" vacuum 5-3-23 | fumigation followed by cold treatment |
| WB III 20 Vacaaiii 3 3 23 | schedule ?? to 5-2-75 |
| | water treatment schedule ?? to 5-2-53 |
| | water treatment senedule :: to 3-2-33 |
| | Meloidogyne spp. |
| M | treatment schedules 5-6-16 to 5-6-17 |
| ••• | troutment sorrougles of to to of the |
| | Melons |
| Macadamia nuts | treatment T101-o-2 |
| treatment T203-k | MB at NAP—tarpaulin or chamber 5-2-33 |
| MB ("Q" label only) at NA 5-3-30 | 200 and 100 page 100 and 100 page |
| Maintaining | Metal surfaces |
| Maintaining the manual C-1-1 to C-1-5 | treatment schedules ?? to 5-5-14 |
| the manual C-1-1 to C-1-3 | |
| Maintenance | Meth-O-Gas Q 2-3-2 to 2-3-4 |
| respiratory protection 8-1-16 to 8-1-19 | |
| Supporting and Updating the Export Certification | Methyl bromide |
| Manual (ECM) and Its Summaries | acceptable air concentration level 2-4-20 |
| Appendix 10 C-1-1 to C-1-5 | chamber fumigation |
| T/C units 8-1-9 | aerating the chamber 2-5-3 to ?? |
| 1/C utilits 0-1-9 | conducting the fumigation 2-5-2 to ?? |
| Maintenance- Supporting and Updating the Export | materials needed 2-5-1 |
| Certification Manual ?? to C-1-5, D-1-1 to D-1-2, | items not to fumigate ?? to 2-3-8 |
| E-1-1 to ??, F-1-1, G-1-1, H-1-1 to H-1-61 | leak detection 2-3-5 |
| L-1-1 to !!, 1-1-1, O-1-1, 11-1-1 to 11-1-01 | Meth-O-Gas Q 2-3-2 to 2-3-4 |
| Maize | properties of 2-3-1 to 2-3-2 |
| treatment schedules 5-6-5 | residual effect 2-3-7 to 2-3-8 |
| treatment schedules 5-0-5 | residue monitoring 4-1-1, 4-2-1 |
| Malathion spray | Section 18 Exemptions 5-2-1 to ?? |
| effect asphalt surfaces 2-6-4 | see also Treatment schedules |
| effect aspiralt surfaces 2-0-4 | ship fumigation |
| Mango seed weevils 6-5-8 | aeration 2-6-13 to ?? |
| Wango seed weevils 6-5-0 | conducting the fumigation 2-6-10 to 2-6-12 |
| Mangoes | materials needed 2-6-1 to ?? |
| high temperature forced air treatment | preparing to fumigate 2-6-3 to ?? |
| schedule 5-2-55 | safety measures 2-6-3 |
| hot water immersion standards 6-5-6 | sorption 2-3-6 to 2-3-7 |
| water treatment schedule 5-2-51 to 5-2-53 | structure fumigation |
| water treatment schedule 3-2-31 to 3-2-33 | |
| | aerating the enclosure 2-7-15 to ?? |
| Manometer | conducting the fumigation 2-7-12 to 2-7-13 |

| materials needed 2-7-1 to 2-7-2 | National Monitoring and Residue Monitoring Analy- |
|--|---|
| preparing to fumigate 2-7-3 to ?? safety precautions 2-7-3 | sis Laboratory 4-2-3 |
| tarpaulin fumigation | Nectarines |
| aerating the enclosure 2-4-35 to 2-4-46 | treatment T101-a-3 |
| conducting the fumigation 2-4-20 to ?? | MB at NAP—tarpaulin or chamber 5-2-35 |
| materials needed 2-4-1 to 2-4-3 | · |
| perparing to fumigate 2-4-3 to 2-4-19 | Nematodes |
| threshold limit value 8-1-9 | treatment schedules 5-6-15, 5-6-18 |
| use of ?? to 2-3-2 | |
| | NMRAL |
| Mexico | see National Monitoring and Residue Monitoring |
| clementines | Analysis Laboratory |
| methyl bromide treatment schedule 5-2-18 | |
| vapor heat treatment schedules 5-2-64 | Nonchemical treatments |
| grapefruit | cold treatment |
| methyl bromide treatment schedule 5-2-26 | intransit cold treatment of ships 3-7-1 to ?? |
| mangoes | self-refrigerated containers ?? to 3-7-20 |
| high temperature forced air treatment | heat |
| schedule 5-2-55 | Cold Treatment (CT) 3-7-1 to ?? |
| oranges | Forces Hot Air 3-6-1 to ?? |
| methyl bromide treatment schedule 5-2-36 | Hot Water Immersion Treatment 3-3-1 to ?? |
| supervision of hot water immersion | hot water immersion treatment 3-3-2 to ?? |
| treatments 6-5-12 | Irradiation 3-8-1 to ?? |
| | overview 3-2-1 to ?? |
| Micronized dusts | Steam Treatments 3-4-1 to ?? |
| application of 2-11-2 to ?? | steam treatments 3-4-1 to ?? |
| cartriges 2-11-2 | Vapor Heat Treatment 3-5-1 to ?? |
| equipment 2-11-2 | vapor heat treatment 3-5-1 to ?? |
| safety precautions 2-11-4 | irradiation 3-8-1 |
| | overview 3-1-1, 6-1-1 |
| Monitoring leads | |
| blocked or crimped 2-4-19 | Normal atmospheric pressure chamber |
| | aeration of ?? to 2-5-6 |
| Mosses | |
| treatment schedule for soil ?? to 5-5-25 | Nut fruit tortrix |
| | treatment schedules ?? to 5-2-16, ?? to 5-4-8 |
| Mountain papaya | |
| high temperature forced air treatment | Nuts |
| schedule 5-2-56 to ?? | methyl bromide fumigation treatment |
| | schedules 5-2-16 |
| Muscari | reporting commodity injury 5-2-1 |
| treatment T567-1 5-6-19 | |
| | |
| Mustard | |
| greens | 0 |
| treatment T101-n-2 | 0 |
| MB at NAP—tarpaulin or chamber 5-2-34 | |
| | Oak Logs and Lumber 5-4-26 |
| | ook lumber E 4 27 |



Naegelia treatment T553-1 5-6-15 Narcissus treatment T202-i-1 MB ("Q" label only) at NAP 5-3-23 to 5-3-24 treatment T555-1 5-6-16 oak lumber 5-4-27
oak wilt disease 5-4-27
oak wilt disease 5-4-27
oak wilt disease alternative treatment 5-4-27

Occupational Safety and Health Administration respiratory protection requirements 8-1-10

Off-odors
effect of methyl bromide ?? to 2-3-8

Okra
treatment schedules ?? to 5-3-30
treatment T101-p-2 5-2-35

| Onions treatment T101-q-2 MB at NAP—tarpaulin or chamber 5-2-36 | Passiflora treatment T553-1 Hot water at 118°F for 30 minutes. 5-6-15 |
|---|---|
| On-site inspections 3-3-3 Open arm manometer | Peach treatment T101-a-3 MB at NAP—tarpaulin or chamber 5-2-37 |
| illustrations 8-1-27 use in pressure-leakage testing 6-3-4 | Pear MB treatment schedule T101-a-1 5-2-3 |
| seeOxford Plant Protection Center Drange methyl bromide fumigation treatment schedule 5-2-36 Drchid bordeaux spray treatment schedules 5-6-3, 5-6-9 defoliation treatment schedules 5-6-11 hot-water treatment schedules 5-6-15 rusts treatment schedules 5-6-9 Drdering additional manuals, summaries or revisions C-1-7 to C-1-9 Drnithogalum treatment T553-1 5-6-15 treatment T567-1 5-6-19 | Peas treatment schedules 5-2-26 to 5-2-27 treatment T101-e-1 MB at NAP—tarpaulin or chamber 5-2-38 Pectinophora spp. treatment schedules ?? to 5-5-20 Pectinophora spp. treatment schedule T301-a-7 ?? to 5-4-3 treatment schedules T301-a-1-1, ?? to 5-4-10 treatment schedules T301-a-1-1, T301-a-1-2, T301-a-6, T301-a-2, ?? to 5-4-7 Pen recorders APHIS approved models 3-3-10 Perishable commodities supervision of quarantine treatments 2-2-2 |
| Oryza treatment schedules 5-6-17 | Pest risk analysis 6-5-8 |
| Outdoor fumigation ?? to 2-4-46 Oxford Plant Protection Center procedures to detect blocked monitoring leads with use of Mitivac vacuum pump 8-1-28 | Phoma chrysanthemi treatment T501-4 Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. 5-6-3 |
| Paddy rice see also Rice straw and hulls treatment schedule treatment schedule 5-6-17 | Phosphine bulk fumigations 2-10-21 to ?? dosage rates ?? to 2-10-9, 2-10-15 to ?? leak detection 2-10-4 properties of 2-10-1 to ?? safety precautions 2-10-4 to ?? threshold limit value 8-1-9 treatment schedule for seeds 5-3-29, 5-3-30 |
| Paeonia treatment T553-1 5-6-15 treatment T564-1 5-6-18 | Phyllosticia bromeliae treatment schedules 5-6-8 Physoderma diseases |
| Papaya high temperature forced air treatment schedule 5-2-56 to ?? Parsnip treatment T101-g-1 | treatment schedules 5-6-5 Pine Christmas trees treatment T313-b MB ("Q" label only) at NAP—chamber or tarpaulin 5-4-28 |
| MB chamber, 15" vacuum—chamber 5-2-36 Particulate removing respirators 8-1-12 See also Respiratory protection | Pineapple methyl bromide fumigation treatment schedule 5-2-39 |

| Pines treatment T201-j MB ("Q" label only) at NAP 5-3-16 |
|---|
| Pinus sylvestris spp. treatment T203-i-1 MB ("Q" label only) at NAP 5-3-26 |
| Pitaya from Colombia 5-2-67 |
| Plant pests and pathogens treatment schedules 5-6-1 to 5-6-20, ?? to 5-7-1 |
| Plantain treatment T101-t-2 MB at NAP—tarpaulin or chamber 5-2-39 |
| Plants treatment schedules ?? to 5-3-3, 5-4-1 to 5-4-30 |
| Plants in Growing Media E-1-1, F-1-1, G-1-1, H-1-1 |
| Plum treatment schedule 5-2-40 |
| Poisoning see Emergency aid and safety |
| Polyanthes treatment schedules 5-6-15, 5-6-19 |
| Post-treatment cooling 3-3-13 to ?? |
| Potato treatment T101-u-2 MB at NAP—tarpaulin or chamber 5-2-40 |
| Potato cyst nematode treatment schedules 5-6-4, 5-6-7 to 5-6-8 |
| Potato tubers treatment T565-5 5-6-19 |
| Pratylenchus spp. treatment schedules 5-6-15, 5-6-16, 5-6-20 |
| Preclearance programs See Certifying facilities see Certifying facilities |
| Precooling treatment 3-7-10 |
| Pre-fumigation procedures 2-6-6 |
| Pre-warming treatment 3-3-13 |
| Primula treatment T553-1 Hot water at 118°F for 30 minutes. 5-6-15 |
| Propagative plant material |

| treatment schedules ?? to 5-3-33 |
|---|
| Puerto Rico supervision of hot water immersion treatments 6-5-12 |
| Pulp fruit treatment schedules 5-2-68 to 5-2-71, ?? to 5-2-72 |
| Pulses treatment T101-e-1 MB at NAP—tarpaulin or chamber 5-2-41 |
| Pumpkins treatment schedule 5-2-41 |
| Purpose of manual 1-1-1 |
| |
| Q |
| Q labels 2-3-2 to 2-3-4 |
| Quarantine 56 6-4-3, 6-4-8 fumigants supervision of ?? to 2-2-4 requirements samples for residue monitoring 4-2-3 |
| Oueensland fruit fly fumigation followed by cold treatment schedule ?? to 5-2-75 |
| Quick freeze treatment schedules 5-2-79 |
| R |
| Radishes treatment T101-g-1 MB chamber, 15" vacuum—chamber 5-2-41 |
| Rape greens treatment T101-n-2 MB at NAP—tarpaulin or chamber 5-2-42 |
| Raspberries treatment T101-x-2 MB at NAP—tarpaulin or chamber 5-2-42 |
| Reference documents 1-1-3 |

Refrigerated transport see also Cold treatment

to 6-4-7, G-1-1

vessels used for intransit cold treatments 6-4-2

| I |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| l |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| Refrigerated warehouses used for cold treatment 6-4-8 to 6-4-9 | treatment T203-h MB ("Q" label only) at 26" vacuum 5-3-30 |
|--|--|
| Reichsteineria treatment T553-1 5-6-15 | Rusts treatment T508-1 |
| Reporting problems 1-1-4 | For rust-infected shipments to Florida Refuse entry to all infected plants and all other plants of the same species or variety in the |
| Residual effect of methyl bromide 2-3-7 to 2-3-8 | shipment. 5-6-9 |
| Residue monitoring | |
| collecting samples 4-2-2 labeling samples 4-2-2 overview 4-1-1 | S |
| safety precautions 4-2-1 | Saccharum |
| shipping samples 4-2-3 storing samples 4-2-3 | treatment T514-1 5-6-11 |
| Respirators 2-4-20, 2-4-37, 2-10-7 | Safety precautions aerosols 2-11-4 |
| Respiratory protection | CO2 fire extinguishers 2-11-4 hot water immersion treatment 3-3-14 |
| capabilities and limitations 8-1-11 | phosphine 2-10-21 to ?? |
| communication and 8-1-15 | residue monitoring 4-2-1 |
| corrective lenses and 8-1-14 | see also Emergency aid and safety |
| employee acceptance 8-1-10 facepiece fit and testing 8-1-13 to 8-1-14 | |
| for fumigants 8-1-10 | Sansevieria |
| for pesticides other than fumigants 8-1-10 | treatment T553-1 5-6-15 |
| maintenance and care 8-1-16 to 8-1-19 | Scabiosa |
| responsibility for 8-1-9 | treatment T553-1 5-6-15 |
| See also specific types or respiratory protection | |
| selection of 8-1-12 use of 8-1-12 to 8-1-15 | Schedules see Treatment schedules |
| Restrictions of manual 1-1-1 | Scilla |
| Rhizomes | treatment T565-4 5-6-19 |
| treatment schedules ?? to 5-3-21 | Scope of manual 1-1-2 |
| Rhododendron | Section 18 Exemptions |
| treatment T501-6 Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bor- | for fruits nuts and vegetables 5-2-1 to ?? methyl bromide fumigants ?? to 2-3-4 |
| deaux dip or spray. 5-6-4 | Sedum treatment T553-1 5-6-15 |
| Rice straw and hulls | |
| steam treatment schedules 5-6-13 | seeds |
| Root cuttings treatment schedule ?? to 5-3-18 | treatment schedules 5-3-26 to 5-3-33, ?? to 5-4-8 |
| | Selaginella spp. |
| Root-knot nematodes | treatment T202-a-1 |
| treatment T553-1 5-6-15 treatment T556-1 5-6-16 | MB ("Q" label only) at NAP—Chamber 5-3-24 |
| Roots | Self-contained breathing apparatus 8-1-11, 8-1-19 |
| treatment schedule ?? to 5-3-21 | Self-refrigerated containers clearance of intransit cold treatments 3-7-20 to |
| Rosa spp. | ?? |
| treatment T560-1 5-6-17 | initiating intransit cold treatments 3-7-17 to 3-7-20 |
| Rosmarinus seeds | |

| Senecio treatment T553-1 5-6-15 treatment T568-1 5-6-19 | methyl bromide fumigation treatment schedule 5-2-43 |
|--|---|
| Septoria gentinae treatment T507-2 Remove infected leaves and treat all plants of same species in shipment with Ferbam or Cap- tan following label directions. 5-6-8 | Strip chart recorders APHIS approved models 3-3-9 checking operation 3-7-6 clearing shipments cold treated in transit 3-7-10 to ?? for intransit cold treatment of ships 3-7-3 |
| Shallots treatment T101-q-2 MB at NAP—tarpaulin or chamber 5-2-43 | Structure fumigation aerating the enclosure 2-7-15 to ?? conducting the fumigation 2-7-12 to ?? materials needed 2-7-1 to 2-7-2 |
| Shelf life effect of methyl bromide ?? to 2-3-8 | preparing to fumigate 2-7-3 to ?? safety precautions 2-7-3 |
| Ship fumigation aeration 2-6-13 to ?? conducting the fumigation 2-6-10 to 2-6-12 materials needed 2-6-1 to ?? preparing to fumigate 2-6-3 to ?? | Succulents treatment T201-f-1 MB ("0" label only) at NAP—tarpaulin or chamber) ?? to 5-3-5 |
| Ship holds treatment schedules ?? to 5-5-3 | Sugarcane treatment schedules 5-6-11 to 5-6-12 |
| Ships intransit cold treatment 3-7-1 to ?? treatment schedules ?? to 5-5-6 | Sulfuryl Fluoride threshold limit value 8-1-9 Suppliers |
| Snails cargo treatment schedules ?? to 5-5-10 | reference guide to commercial suppliers H-1-1 to H-1-60 |
| Soil pests and pathogens treatment schedule ?? to 5-5-27 potato cyst nematode treatment schedule 5-6-4 steam pressure sterilization 3-4-1 | Sweet potatoes treatment T101-b-3-1 MB at NAP—tarpaulin or chamber 5-2-43 |
| Solanum treatment T565-5 5-6-19 | T |
| Sorption of methyl bromide 2-3-6 to 2-3-7 | T/C units seeThermanl conductivity gas analyzers |
| Sprays 2-14-1 | Tarpaulin fumigation arranging the stack 2-4-7 to 2-4-10 |
| Squash methyl bromide fumigation treatment schedule 5-2-43 | covering the stack 2-4-16 methyl bromide aerating the enclosure 2-4-35 to 2-4-46 |
| Steam treatments principle 3-4-1 steam jet method 3-4-2 steam pressure sterilization 3-4-1 to 3-4-2 | conducting the fumigation 2-4-20 to ?? materials needed 2-4-1 to 2-4-3 preparing to fumigate 2-4-3 to 2-4-19 of structures 2-7-9 padding corners 2-4-13 |
| Steneotarsonemus laticeps treatment T202-i-1 MB ("0" label only) at NAP ?? to 5-3-24 | phosphine 2-10-21 to ?? rate of sorption 2-3-6 sealing 2-4-17 |
| Strawberries hot water treatment schedule 5-6-17, 5-6-20 | Temperature effect on methyl bromide 2-3-5 measurement of ship fumigation 2-6-6 |

| tarpaulin fumigation 2-4-14 | Treatment facilities |
|--|---|
| using commodity or air temperature 2-5-3 | certifying 6-2-1, 6-3-1 to ??, 6-4-1, 6-5-1, 6-6-1, 6-7-1, 6-8-1 to ??, 6-9-1 to ?? |
| Temperature recorders | 0-7-1, 0-0-1 to ::, 0-7-1 to :: |
| calibrating 3-7-7, 3-7-17 | Treatment schedules |
| for hot water immersion treatment 3-3-8 to ?? | adjusting exposure period 2-4-23 to 2-4-25 |
| for intransit cold treatment of ships 3-7-3 | cold treatment ?? to 5-2-71, ?? to 5-2-72 |
| on container vessels 3-7-8 | determining label for fumigation 5-2-2 |
| testing 3-7-9 | for miscellaneous plant products 5-4-1 to 5-4-30, |
| and the second s | ?? to 5-5-47 |
| Temperature recording systems | for miscellaneous products ?? to 5-5-47 |
| standards for integral containers used for cold | for plant pests or pathogens 5-6-1 to 5-6-20, ?? |
| treatment 6-4-7, ?? to 6-4-8 | to 5-7-1 |
| standards for vessels used for intransit cold | for propogative plant material ?? to 5-3-33 |
| treatment 6-4-4 to 6-4-7 | fruits, nuts and vegetables 2-4-25 to 2-4-28 |
| | fumigation plus refrigeration of fruits ?? to 5-2-73 |
| Temperature sensors | hot water treatments 5-6-14 to 5-6-20, ?? to |
| calibrating 3-7-17 | 5-7-1 |
| document preparation 3-7-7 | methyl bromide fumigation ?? to 5-2-47 |
| for hot water immersion treatment 3-3-7 to ?? | pest specific/host variable 5-2-57 to ??, 5-2-64 |
| for intransit cold treatment of ships 3-7-3 to ?? | to ?? |
| placement of 3-7-7, 3-7-18 | quick freeze 5-2-79 |
| | reporting commodity injury 5-2-1 |
| Terms and conventions 1-1-4 | Section 18 Exemptions 5-2-1 to ?? |
| | T100 5-2-1 to ?? |
| Thermal conductivity gas analyzers Fumiscope and Grow-Mac | T200 5-3-1 to 5-3-33 |
| description 8-1-2 to ??, 8-1-2 to 8-1-4 | T300 5-4-1 to 5-4-30 T400 5-5-1 to 5-5-47 |
| maintenance 8-1-9 | T500 5-6-1 to 5-6-20, 5-7-1 |
| operational procedures 8-1-7 to ?? | water treatment schedules 5-2-48 to 5-2-53 |
| repair and calibration 8-1-7 | mater treatment estications of 10 to 5 2 co |
| standardizing the instrument 8-1-5 to ?? | Trees, Christmas |
| Ç | treatment T501-5 |
| Thermal conductivity units 2-4-21 | Remove infected parts and treat all plants of |
| | same species in shipment with 4-4-50 Bor- |
| Thermistors 3-3-8 | deaux dip or spray. 5-6-3 |
| Thermometers | Trogoderma granarium |
| certified glass-mercury 3-3-8 | cottonseed treatment schedules 5-5-20 to ?? |
| | Trans dames are partition |
| Thermostatic controls requirements for hot water immersion | Trogoderma granarium cottonseed treatment schedules ?? to 5-4-4 |
| treatment 3-3-6 | ships treatment schedule T402-b-3-2 5-5-3 |
| treatment 3 3 0 | Ships treatment senedule 1402 b 3 2 3 3 3 |
| Thompsonia nepalensis | Tuberose |
| treatment T553-1 5-6-15 | treatment T565-5 5-6-19 |
| | |
| Fick-infested materials | Tubers |
| non-food treatment schedules ?? to 5-4-25 | treatment schedules ?? to 5-3-21 |
| | _ |
| Figridia | Tuna |
| treatment T554-1-1 5-6-16 | Opuntia |
| Tahagaa far aypart | treatment T101-e-3 |
| Tobacco, for export treatment schedules ?? to 5-4-20 | MB at NAP—tarpaulin or chamber 5-2-45 |
| treatment scriedules :: (0 5-4-20 | Turnips |
| Tomatoes | treatment T101-g-1 |
| methyl bromide fumigation treatment | MB chamber, 15" vacuum—chamber 5-2-46 |
| schedule 5-2-44 | |
| | Tydaea |
| | treatment T553-1 5-6-15 |
| | |

| | Vitis | |
|---|--|--|
| U | treatment T553-1 5-6-15 | |
| United States citrus treatment schedule 5-2-18 | Volatilizer description and use 8-1-21 liquid fumigant vaporizer 8-1-22 | |
| Updating the manual Appendix 10 C-1-1 to C-1-5 | methyl bromide volatilizer coil 8-1-21 Volume measurement | |
| Use of manual 1-1-3 | tarpaulin fumigation 2-4-17 | |
| U-tube manometer See Open arm manometer | | |
| occ open ann manomotor | W | |
| V | Warehouses initiating the cold treatment 3-7-17 to 3-7-20 used for cold treatment 6-4-8 to 6-4-9 | |
| Vacuum Fumigation chambers accessories 6-2-3 aeration of 2-5-3 chamber 6-2-1 | Water circulation system requirements for hot water immersion treatment 3-3-7 to ?? | |
| circulation and exhaust system 6-2-2 fumigant introduction systems 6-2-2 | Water treatment schedules 5-2-48 to 5-2-53 | |
| manufacturers 6-2-4 performance standards 6-2-3 | Weevils | |
| vacuum pump 6-2-2 | treatment T302-g-1 MB at NAP—tarpaulin, chamber, or var container ?? to 5-4-8 | |
| Vacuum Pump 8-1-28 | | |
| Vegetables adjusting exposure period 2-4-25 to 2-4-28 | Weigela treatment T553-1 5-6-15 | |
| aerating 2-4-35 to 2-4-36 determining temperature for proper dosage rate 2-4-15 | Wheat treatment schedules for flag smut 5-6-6 | |
| methyl bromide fumigation treatment schedules ?? to 5-2-47 quick freeze treatment schedules 5-2-79 | Wiring requirements for hot water immersion treatment 3-3-5 | |
| reporting commodity injury 5-2-1 see also specific vegetables by name water treatment schedules 5-2-48 to 5-2-53 | Wood products treratment schedules ?? to 5-5-19 | |
| Velometer 8-1-23 | Wood surfaces treatment schedules ?? to 5-5-14 | |
| Verbena treatment T553-1 Hot water at 118°F for 30 minutes. 5-6-15 | Work plans hot water immersion treatment 3-3-15 | |
| Verticillium albo-atrum treatment T520-1-1 Dust with 75 percent Thiram at the rate of 166 grams per 50 kilograms of seed (3.3g/kg). 5-6-14 | X | |
| Vessels used for intransit cold treatment 6-4-2 to 6-4-7 | Xanthomona albilineans treatment schedules 5-6-11 | |
| Vine moth treatment schedule ?? to 5-2-25 | vasculorum treatment schedules 5-6-11 | |

Yams treatment schedules 5-2-46, 5-3-25

Z

Zantedeschia treatment T553-1 5-6-15

Zingiberaceae treatment T553-1 5-6-15

Zucchini methyl bromide fumigation 5-2-46

0

Q R

T

W

Y Z